

Dated 12/06/2019

Revision nr. 3

Printed on 25/03/2020

Page n. 1/13

Replaced revision:2 (Dated: 30/05/2019)

## P030200C - Green Formula Polymer

## **Safety Data Sheet**

#### SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: **P030200C** 

Product name Green Formula Polymer Chemical name and synonym Green Formula Polymer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Odor neutralizer for humidity, pets, fatty acids

1.3. Details of the supplier of the safety data sheet

Name GREEN PLANET SOLUTIONS INTERNATIONAL S.L.

Full address Passeig Guineu, 46

District and Country 08197 Sant Cugat del Vallés (Barcelona)

España

Tel. 935 14 19 04

Fax

e-mail address of the competent person

responsible for the Safety Data Sheet laboratorio@limpiaolores.com

Product distribution by: GREEN PLANET SOLUTIONS INTERNATIONAL S.L.

1.4. Emergency telephone number

For urgent inquiries refer to Instituto Nacional de Toxicología 91 5620520

## **SECTION 2. Hazards identification**

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Hazardous to the aquatic environment, chronic toxicity, H412 Harmful to aquatic life with long lasting effects. category 3

#### 2.2. Label elements

Labelling unnecessary in accordance with Regulation (CE) 1272/2008 - Annex I - 1.3.4.



Dated 12/06/2019

Revision nr. 3

Printed on 25/03/2020

Page n. 2/13

Replaced revision:2 (Dated: 30/05/2019)

## P030200C - Green Formula Polymer

#### 2.3. Other hazards

## **SECTION 3. Composition/information on ingredients**

#### 3.2. Mixtures

### Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
Phenethyl alcohol		
CAS 60-12-8	1 ≤ x < 5	Acute Tox. 4 H302
EC 200-456-2		
INDEX -		
dl-Citronellol		
CAS 106-22-9	$0 \le x < 0,5$	Skin Irrit. 2 H315, Skin Sens. 1B H317
EC 203-375-0		
INDEX -		
d-Limonene		
CAS 5989-27-5	$0,25 \le x < 0,5$	Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1, Classification note according to Annex VI to the CLP Regulation: C
EC 227-813-5		
INDEX 601-029-00-7		
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran CAS 1222-05-5	0,25 ≤ x < 0,5	Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1
EC 214-946-9		
INDEX -		
alpha-Amylcinnamaldehyde		
CAS 122-40-7	$0 \le x < 0.5$	Skin Sens. 1B H317, Aquatic Chronic 2 H411
EC 204-541-5		
INDEX -		
1-(1,2,3,4,5,6,7,8-Octahydro- 2,3,8,8-tetramethyl-2- naphthalenyl)ethanone CAS 54464-57-2	0,25 ≤ x < 0,5	Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1
EC 259-174-3		CHIONIC TTI4TO WI-T
INDEX -		
Amyl salicylate		
CAS 2050-08-0	0 ≤ x < 0,25	Acute Tox. 4 H302, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1
EC 911-280-7	•	
INDEX -		



Revision nr. 3

Dated 12/06/2019

Printed on 25/03/2020

Page n. 3/13

Replaced revision:2 (Dated: 30/05/2019)

P030200C - Green Formula Polymer

p-t-Butyl-alphamethylhydrocinnamic aldehyde

CAS 80-54-6  $0 \le x < 0.5$ 

Repr. 2 H361, Acute Tox. 4 H302, Skin Irrit. 2 H315, Skin Sens. 1 H317,

Aquatic Chronic 2 H411

EC 201-289-8

INDEX -

Benzyl salicylate

CAS 118-58-1  $0 \le x < 0.5$ 

Skin Sens. 1B H317, Aquatic Chronic 3 H412

EC 204-262-9

INDEX -

alpha-Hexylcinnamaldehyde (see

footnote 5)

CAS 101-86-0 Skin Sens. 1B H317, Aquatic Chronic 2 H411

EC 202-983-3

INDEX -

4-tert-Butylcyclohexyl acetate

CAS 32210-23-4  $0 \le x < 0.5$  Skin Sens. 1B H317, Aquatic Chronic 2 H411

EC 250-954-9

INDEX -

Isoeugenol

CAS 97-54-1  $0 \le x < 0.1$  Acute Tox. 4 H302, Acute Tox. 4 H312, Eye Irrit. 2 H319, Skin Irrit. 2 H315,

Skin Sens. 1A H317

EC 202-590-7 INDEX -

The full wording of hazard (H) phrases is given in section 16 of the sheet.

#### **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

### **SECTION 5. Firefighting measures**



Dated 12/06/2019

Revision nr. 3

Printed on 25/03/2020

Page n. 4/13

Replaced revision:2 (Dated: 30/05/2019)

## P030200C - Green Formula Polymer

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT
The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### **GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

#### **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues. Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling



Dated 12/06/2019

Revision nr. 3

Printed on 25/03/2020

Page n. 5/13

Replaced revision:2 (Dated: 30/05/2019)

## P030200C - Green Formula Polymer

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

#### **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Information not available

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

#### HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### **EYE PROTECTION**

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

#### **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties



## P030200C - Green Formula Polymer

Revision nr. 3

Dated 12/06/2019

Printed on 25/03/2020

Page n. 6/13

Replaced revision:2 (Dated: 30/05/2019)

Appearance solid Colour white Odour Floral Odour threshold Not available рΗ Not available Melting point / freezing point Not available Initial boiling point Not applicable Boiling range Not available Flash point Not applicable Evaporation rate Not available Flammability (solid, gas) Not available Lower inflammability limit Not available Not available Upper inflammability limit Lower explosive limit Not available Upper explosive limit Not available Vapour pressure Not available Vapour density Not available Relative density Not available Solubility immiscible with water Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Decomposition temperature Not available Viscosity Not available Not available Explosive properties

#### 9.2. Other information

Oxidising properties

Information not available

## **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

Not available

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products



## P030200C - Green Formula Polymer

Revision nr. 3

Dated 12/06/2019

Printed on 25/03/2020

Page n. 7/13

Replaced revision:2 (Dated: 30/05/2019)

Information not available

### **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

#### **ACUTE TOXICITY**

LC50 (Inhalation) of the mixture:
Not classified (no significant component)
LD50 (Oral) of the mixture:
>2000 mg/kg
LD50 (Dermal) of the mixture:
Not classified (no significant component)

#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

#### **RESPIRATORY OR SKIN SENSITISATION**

May produce an allergic reaction. Contains: Isoeugenol



Dated 12/06/2019

Revision nr. 3

Printed on 25/03/2020

Page n. 8/13

Replaced revision:2 (Dated: 30/05/2019)

## P030200C - Green Formula Polymer

p-t-Butyl-alpha-methylhydrocinnamic aldehyde
Benzyl salicylate
alpha-Hexylcinnamaldehyde (see footnote 5)
4-tert-Butylcyclohexyl acetate
alpha-Amylcinnamaldehyde
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone
d-Limonene
dl-Citronellol

#### **GERM CELL MUTAGENICITY**

Does not meet the classification criteria for this hazard class

#### **CARCINOGENICITY**

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### **STOT - SINGLE EXPOSURE**

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

## ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## **SECTION 12. Ecological information**

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment. **12.1. Toxicity** 

Information not available

#### 12.2. Persistence and degradability

Information not available

#### 12.3. Bioaccumulative potential

Information not available



# Dated 12/06/2019 Printed on 25/03/2020

4.0

Revision nr. 3

Page n. 9/13 Replaced revision:2 (Dated: 30/05/2019)

P030200C - Green Formula Polymer

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects

Information not available

### **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable



Dated 12/06/2019
Printed on 25/03/2020

Revision nr. 3

Page n. 10/13

Replaced revision:2 (Dated: 30/05/2019)

P030200C - Green Formula Polymer

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

#### **SECTION 15. Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:



Dated 12/06/2019

Revision nr. 3

Printed on 25/03/2020

Page n. 11/13

Replaced revision:2 (Dated: 30/05/2019)

P030200C - Green Formula Polymer

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Acute Tox. 4

Information not available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

#### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3 Flammable liquid, category 3

Repr. 2 Reproductive toxicity, category 2

Asp. Tox. 1

Eye Irrit. 2

Skin Irrit. 2

Skin Sens. 1

Skin Sens. 1A

Skin Sens. 1B

Aspiration hazard, category 1

Eye irritation, category 2

Skin irritation, category 2

Skin sensitization, category 1

Skin sens. 1A

Skin sensitization, category 1A

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H226 Flammable liquid and vapour.

H361 Suspected of damaging fertility or the unborn child.

Acute toxicity, category 4

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

.



Dated 12/06/2019

Revision nr. 3

Printed on 25/03/2020

Page n. 12/13

Replaced revision:2 (Dated: 30/05/2019)

### P030200C - Green Formula Polymer

H412

Harmful to aquatic life with long lasting effects.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### **GENERAL BIBLIOGRAPHY**

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.



Dated 12/06/2019

Revision nr. 3

Printed on 25/03/2020

Page n. 13/13

Replaced revision:2 (Dated: 30/05/2019)

P030200C - Green Formula Polymer

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: